



丘成桐数学科学中心
YAU MATHEMATICAL SCIENCES CENTER



TSIMF

清华三亚国际数学论坛

调和分析及其应用研讨会

Symposium on Harmonic Analysis and Applications

会议时间 TIME

October 2 – 6, 2026

会议地点 VENUE

Room A-103, TSIMF

组织者 ORGANIZERS

Long Jin(金龙), Tsinghua University, China

Sanghyuk Lee, Seoul National University, South Korea

Danqing He(贺丹青), Fudan University, China

Zhongkai Tao(陶中恺), Institut des Hautes Études Scientifiques, France

Bochen Liu(刘博辰), Southern University of Science and Technology, China

Kangwei Li(李康伟), Zhejiang Normal University, China



Find more information on tsimf.tsinghua.edu.cn


Contents

About the conference	1
Schedule	5
October 2, 2026 - Friday	7
October 3, 2026 - Saturday	8
October 4, 2026 - Sunday.....	9
October 5, 2026 - Monday	10
October 6, 2026 - Tuesday	11
Titles and Abstracts	12
Andreas Seeger	13
Shukun Wu (吴澍坤)	13
Jinbong Lee.....	13
Jaehyeon Ryu	14
Sewook Oh	14
Joonil Kim.....	15
Hyerim Ko.....	15
Peng Chen (陈鹏).....	15
Xudong Lai (赖旭东).....	15
Jingxuan Zhang (张景宣)	16
Sheldy javier Ombrosi	17
Renhui Wan (万仁辉).....	17
Chong-Wei Liang (梁崇璋).....	18
Doowon Koh.....	18
Arne Hendrickx (韩易伦).....	18
Zhenhao Li (李桢昊)	19
Elena Kim.....	19
Wenjuan Li (李文娟).....	20
David Beltran.....	20
Welcome to TSIMF	21
About Facilities.....	23
Registration.....	23



Guest Room	23
Library	24
Restaurant	24
Laundry	25
Gym	25
Swimming Pool.....	25
Free Shuttle Bus Service at TSIMF.....	25
Playground.....	25
Contact Information of Administration Staff	26





About the conference

调和分析及其应用研讨会

Symposium on Harmonic Analysis and Applications

Date

October 2-6, 2026

Venue

Room A-103, TSIMF

Organizers

Long Jin(金龙), Tsinghua University, China

Sanghyuk Lee, Seoul National University, South Korea

Danqing He(贺丹青), Fudan University, China

Zhongkai Tao(陶中恺), Institut des Hautes Études Scientifiques, France

Bochen Liu(刘博辰), Southern University of Science and Technology, China

Kangwei Li(李康伟), Zhejiang Normal University, China

Abstract

This symposium focuses on recent advances in harmonic analysis and its significant applications in related mathematical branches. It systematically traces the field's development since the inception of Fourier series theory and elucidates its pivotal role in modern mathematics.


Originating from analytical tools pioneered by Fourier in his study of the heat equation, harmonic analysis has evolved over two centuries. Its core research scope has expanded from classical problems such as the convergence of Fourier series to modern frontiers including high-dimensional oscillatory integral estimates and singular integral operator theory. In recent years, tools from algebraic geometry, additive combinatorics, and other fields have been introduced into harmonic analysis research, driving breakthroughs in major problems such as the Bochner-Riesz conjecture, restriction conjecture, and Furstenberg–Bergelson–Leibman conjecture, while resolving the local smoothing conjecture and Kakeya conjecture in three-dimensional space. Concurrently, significant applications of related theories in problems like the Vinogradov mean value theorem, pointwise convergence of solutions to the Schrödinger equation, Falconer distance conjecture, and Roth theorem collectively signify that the field is undergoing a dual expansion in both theoretical depth and breadth.

The conference will invite experts in harmonic analysis and related fields from both China and abroad to present their latest research findings and to explore in depth the extensive connections between harmonic analysis and mathematical branches such as number theory, geometric measure theory, and additive combinatorics.

Participants

1. David Beltran, Universitat de València, Spain
2. Peng Chen(陈鹏), Sun Yat-sen University, China
3. Shengwen Gan(甘盛文), Sun Yat-sen University, China
4. Jingwei Guo(郭经纬), University of Science and Technology of China, China
5. Danqing He(贺丹青), Fudan University, China
6. Arne Hendrickx(韩易伦), Ghent University, Belgium
7. Alex Iosevich, University of Rochester, USA
8. Long Jin(金龙), Tsinghua University, China
9. Elena Kim, Harvard University, USA
10. Joonil Kim, Yonsei University, South Korea
11. Hyerim Ko, Jeonbuk National University, South Korea
12. Doowon Koh, Chungbuk National University, South Korea
13. Xudong Lai(赖旭东), Harbin Institute of Technology, China
14. Jinbong Lee, Seoul National University, South Korea
15. Sanghyuk Lee, Seoul National University, South Korea
16. Hongquan Li(李洪全), Fudan University, China
17. Ji Li(李冀), Macquarie University, Australia
18. Kangwei Li(李康伟), Zhejiang Normal University, China
19. Wenjuan Li(李文娟), Northwestern Polytechnical University, China
20. Zhenhao Li(李桢昊), University of California, Berkeley, USA
21. Chong-Wei Liang(梁崇璋), Taiwan University, China
22. Bochen Liu(刘博辰), Southern University of Science and Technology, China
23. Lingwei Ma(马羚未), Nankai University, China
24. Sewook Oh, Gwangju Institute of Science and Technology, South Korea
25. Sheldy Ombrosi, Universidad Nacional del Sur, Argentina
26. Jaehyeon Ryu, Ewha Womans University, South Korea
27. Andreas Seeger, University of Wisconsin-Madison, USA
28. Wenchang Sun(孙文昌), Nankai University, China
29. Zhongkai Tao(陶中恺), Institut des Hautes Études Scientifiques, France
30. Renhui Wan(万仁辉), Nanjing Normal University, China
31. Shukun Wu(吴澍坤), Indiana University Bloomington, USA

-
32. Dunyan Yan(燕敦彦), University of Chinese Academy of Sciences, China
 33. Yujia Zhai(翟羽佳), Harbin Institute of Technology, China
 34. Jingxuan Zhang(张景宣), Tsinghua University, China



Schedule

Time&Date	Friday (October 2)	Saturday (October 3)	Sunday (October 4)	Monday (October 5)	Tuesday (October 6)
7:30-8:30	Breakfast (60 minutes)				
Chair	Bochen Liu	Sanghyuk Lee	Kangwei Li	Dunyan Yan	Danqing He
9:00-10:00	Andreas Seeger	Joonil Kim	Sheldy Ombrosi	Chong-Wei Liang	Wenjuan Li
10:00-10:30	Coffee Break (within 30 minutes)				
Chair	Bochen Liu	Sanghyuk Lee	Kangwei Li	Lingwei Ma	Danqing He
10:30-11:30	Shukun Wu	Hyerim Ko	Renhui Wan	Doowon Koh	David Beltran
11:30-12:00		Group Photo			
12:00-13:30	Lunch (90 minutes)				
Chair	Ji Li	Jingwei Guo	Free Discussion 13:30-17:00	Long Jin	Free Discussion 13:30-17:00
14:00-15:00	Jinbong Lee	Peng Chen		Arne Hendrickx	
15:00-15:30	Coffee Break (within 30 minutes)			Coffee Break	
Chair	Wenchang Sun	Yujia Zhai		Long Jin	
15:30-16:30	Jaehyeon Ryu	Xudong Lai		Zhenhao Li	
16:30-17:30	Sewook Oh	Jingxuan Zhang		Elena Kim	
17:30	Dinner (90 minutes)		Banquet 18:00-20:00	Dinner (90 minutes)	

October 2, 2026 - Friday

Time&Date	Name	Title
7:30-8:30	<i>Breakfast (60 minutes)</i>	
Chair	Bochen Liu (刘博辰) Southern University of Science and Technology, China	
9:00-10:00	Andreas Seeger University of Wisconsin-Madison, USA	Bochner-Riesz means on the Heisenberg groups
10:00-10:30	<i>Coffee Break (within 30 minutes)</i>	
Chair	Bochen Liu (刘博辰) Southern University of Science and Technology, China	
10:30-11:30	Shukun Wu (吴澍坤) Indiana University Bloomington, USA	Diameter-free estimates and superorthogonality
11:30-12:00		
12:00-13:30	<i>Lunch (90 minutes)</i>	
Chair	Ji Li(李冀) Macquarie University, Australia	
14:00-15:00	Jinbong Lee Seoul National University, South Korea	Maximal averages and non-transversality
15:00-15:30	<i>Coffee Break (within 30 minutes)</i>	
Chair	Wenchang Sun (孙文昌) Nankai University, China	
15:30-16:30	Jaehyeon Ryu Ewha Womans University, South Korea	The endpoint eigenfunction bound for the Hermite operator in two dimensions
16:30-17:30	Sewook Oh Gwangju Institute of Science and Technology, South Korea	Damping oscillatory integrals of convex analytic functions
17:30	<i>Dinner (90 minutes)</i>	

October 3, 2026 - Saturday

Time&Date	Name	Title
7:30-8:30	<i>Breakfast (60 minutes)</i>	
Chair	Sanghyuk Lee Seoul National University, South Korea	
9:00-10:00	Joonil Kim Yonsei University, South Korea	Layered Circle Method
10:00-10:30	<i>Coffee Break (within 30 minutes)</i>	
Chair	Sanghyuk Lee Seoul National University, South Korea	
10:30-11:30	Hyerim Ko Jeonbuk National University, South Korea	Maximal estimates for orthonormal systems of wave equations
11:30-12:00	<i>Group Photo</i>	
12:00-13:30	<i>Lunch (90 minutes)</i>	
Chair	Jingwei Guo (郭经纬) University of Science and Technology of China, China	
14:00-15:00	Peng Chen (陈鹏) Sun Yat-sen University, China	Eigenfunction estimates for Schrödinger operators with growth potentials
15:00-15:30	<i>Coffee Break (within 30 minutes)</i>	
Chair	Yujia Zhai (翟羽佳) Harbin Institute of Technology, China	
15:30-16:30	Xudong Lai (赖旭东) Harbin Institute of Technology, China	Some progress for weak type $(1, 1)$ bounds of rough operators
16:30-17:30	Jingxuan Zhang (张景宣) Tsinghua University, China	Degenerate diffusion estimate
17:30	<i>Dinner (90 minutes)</i>	

October 4, 2026 - Sunday


Time&Date	Name	Title
7:30-8:30	<i>Breakfast (60 minutes)</i>	
Chair	Kangwei Li (李康伟) Zhejiang Normal University, China	
9:00-10:00	Sheldy javier Ombrosi Universidad Nacional del Sur, Argentina	The solution to the C_p conjecture
10:00-10:30	<i>Coffee Break (within 30 minutes)</i>	
Chair	Kangwei Li (李康伟) Zhejiang Normal University, China	
10:30-11:30	Renhui Wan (万仁辉) Nanjing Normal University, China	Multilinear circle method and pointwise ergodic theorem
11:30-12:00		
12:00-13:30	<i>Lunch (90 minutes)</i>	
13:30-17:00	<i>Free Discussion</i> 13:30-17:00	
17:30	<i>Dinner (90 minutes)</i>	

October 5, 2026 - Monday

Time&Date	Name	Title
7:30-8:30	<i>Breakfast (60 minutes)</i>	
Chair	Dunyan Yan (燕敦彦) University of Chinese Academy of Sciences, China	
9:00-10:00	Chong-Wei Liang (梁崇璋) Taiwan University, China	Projection Theory and Kakeya type problems
10:00-10:30	<i>Coffee Break (within 30 minutes)</i>	
Chair	Lingwei Ma (马羚末) Nankai University, China	
10:30-11:30	Doowon Koh Chungbuk National University, South Korea	Mapping properties of the $\mathcal{S}$ -operator
11:30-12:00		
12:30-13:30	<i>Lunch (90 minutes)</i>	
Chair	Long Jin (金龙) Tsinghua University, China	
14:00-15:00	Arne Hendrickx (韩易伦) Ghent University, Belgium	Representation of variable-coefficient partial differential operators as Fourier multipliers and applications
15:00-15:30	<i>Coffee Break (within 30 minutes)</i>	
Chair	Long Jin (金龙) Tsinghua University, China	
15:30-16:30	Zhenhao Li (李桢昊) University of California, Berkeley, USA	Egorov's theorem on hyperbolic surfaces
16:30-17:30	Elena Kim Harvard University, USA	Polynomial bounds for eigenfunctions and eigenvalues on random covers of hyperbolic surfaces
17:30	<i>Dinner (90 minutes)</i>	

October 6, 2026 - Tuesday

Time&Date	Name	Title
7:30-8:30	<i>Breakfast (60 minutes)</i>	
Chair	Danqing He (贺丹青) Fudan University, China	
9:00-10:00	Wenjuan Li (李文娟) Northwestern Polytechnical University, China	L^p -Estimates for maximal averages along mixed homogeneous hypersurfaces in $\mathbb{R}^3$
10:00-10:30	<i>Coffee Break (within 30 minutes)</i>	
Chair	Danqing He (贺丹青) Fudan University, China	
10:30-11:30	David Beltran Universitat de València, Spain	On a Pierce-Yung operator on the plane
11:30-12:00		
12:00-13:30	<i>Lunch (90 minutes)</i>	
13:30-17:00	<i>Free Discussion</i> 13:30-17:00	
17:30	<i>Dinner (90 minutes)</i>	



Titles and Abstracts

October 2, 2026 - Friday

Bochner-Riesz means on the Heisenberg groups

Andreas Seeger

University of Wisconsin-Madison, USA

We present an L^p -boundedness result for Bochner-Riesz means associated with the spectral decomposition of the sub-Laplacian L on the Heisenberg group $\mathbb{H}_n$. It is sharp up to endpoints for $1 \leq p < p_n$ where $\lim_{n \rightarrow \infty} p_n = 2$. The Bochner-Riesz bound is a corollary of a more general spectral multiplier theorem for operators $m(\sqrt{L})$, with localized L^2 -Sobolev assumptions on m . Our main auxiliary result is a corresponding $L^{p'}$ estimate for a square function associated with the Heisenberg wave group $\{e^{it\sqrt{L}}\}$. Joint work with Detlef Müller, Lars Niedorf and Betsy Stovall.

Diameter-free estimates and superorthogonality

Shukun Wu (吴澍坤)

Indiana University Bloomington, USA

I will discuss how order and orthogonality yield a near-optimal three-fold additive energy bound for points on convex curves and diameter-free decoupling for the parabola. A related geometric observation gives a short proof of the Guth–Wang–Zhang cone reverse square function estimate. I will then introduce an abstract ordered superorthogonality theorem and explain its applications to diameter-free and sharp reverse square function estimates for the cone. This is based on joint work with Adam Cushman and Ciprian Demeter. The work is AI-assisted.

Maximal averages and non-transversality

Jinbong Lee

Seoul National University, South Korea

In this talk, the speaker presents L^p estimates for maximal averages along hypersurfaces in the context of the conjecture of Stein and Iosevich-Sawyer. In the literature, this problem has been mainly studied under the *transversality* assumption. One of main interests of this talk is what happens if the transversality assumption is violated. We give a definitive answer to this question, and reformulate the conjecture with regard to the role of non-transversal points.

The endpoint eigenfunction bound for the Hermite operator in two dimensions

Jaehyeon Ryu

Ewha Womans University, South Korea

In this talk, we establish the optimal $L(\mathbb{R}^2) \rightarrow L^{10/3}(\mathbb{R}^2)$ endpoint estimate for the spectral projection operator associated with the Hermite operator on $\mathbb{R}^2$. In higher dimensions $d \geq 3$, the corresponding endpoint estimates were recently established. Combined with earlier results, our result fully resolves the problem of optimal $L^2 \rightarrow L^q$ eigenfunction bounds for the Hermite spectral projections in all dimensions. Although our approach builds on our previous method, we overcome its limitations through a multiscale decomposition in space and time relative to the degeneracy set, combined with an asymmetric refinement on the input side and almost orthogonality. This talk is based on joint work with Eunhee Jeong and Sanghyuk Lee.

Damping oscillatory integrals of convex analytic functions

Sewook Oh

Gwangju Institute of Science and Technology, South Korea

The estimate for the Fourier transform of measure is a fundamental subject in Harmonic Analysis. When a measure is supported on a hypersurface whose Gaussian curvature is nonvanishing, the stationary phase method gives the optimal decay estimate. However, if hypersurfaces are degenerate, the Fourier decay worsens. For compensating this, Sogge-Stein introduced oscillatory integrals with suitable mitigating factors.

In this talk, we focus on oscillatory integrals with damping factor given by a power of the absolute value of the Gaussian curvature. Estimates for these integrals have several applications, including affine Fourier restriction estimates and maximal averages with damping factors. I will also present a sketch of the proof, which involves a modified version of stationary set method.

October 3, 2026 - Saturday**Layered Circle Method****Joonil Kim**

Yonsei University, South Korea

In this talk, we study exponential sums over lattice boxes with independently varying side lengths. To this end, we develop a layered circle method based on a major-arc rigidity phenomenon arising from the layered structure of the polynomial phase. As a first application, we prove uniform bounds for exponential sums with a product Hilbert kernel, extending the one-parameter theorem of Arkhipov and Oskolkov. We also establish the affirmative answers to multi-parameter versions of the Bellow–Furstenberg problem on pointwise ergodic theory.

This is joint work with Hejna, Łyżwa, Langowski, Mirek, Song, and Wright.

Maximal estimates for orthonormal systems of wave equations**Hyerim Ko**

Jeonbuk National University, South Korea

In this talk, I will discuss maximal estimates for wave equations with orthonormal initial data. I will present the sharp regularity result in three dimensions, as well as Schatten summability estimates in other dimensions. I will also discuss related problems and possible extensions to other dispersive settings. This talk is based on joint work with Sanghyuk Lee and Shobu Shiraki.

Eigenfunction estimates for Schrödinger operators with growth potentials**Peng Chen (陈鹏)**

Sun Yat-sen University, China

We study L^p estimates for eigenfunctions of Schrödinger operators $-\Delta + |x|^\alpha$, $\alpha > 0$, acting on $L^2(\mathbb{R}^n)$. As an application, we show the L^p convergence of Bochner-Riesz summability for this class of Schrödinger operators.

Some progress for weak type (1, 1) bounds of rough operators**Xudong Lai (赖旭东)**

Harbin Institute of Technology, China

Rough operators are ubiquitous in harmonic analysis. In this talk, we present some recent progress on their weak-type (1,1) theory in both classical and noncommutative harmonic analysis. The

operators involved include maximal truncated singular integral operators with convolution or non-convolution kernels, noncommutative (operator-valued) singular integral operators, some operators on quantum tori, and Schur multiplier operators.

Degenerate diffusion estimate

Jingxuan Zhang (张景宣)

Tsinghua University, China

We consider degenerate non-autonomous parabolic equations in L^p spaces for all $1 \leq p \leq \infty$, and prove integrated Gaussian space-time upper bounds on their solutions. Our bounds cover both linear and nonlinear equations on general Riemannian manifolds.

October 4, 2026 - Sunday

The solution to the C_p conjecture

Sheldy javier Ombrosi

Universidad Nacional del Sur, Argentina

We will show that the condition $w \in C_p$ is sufficient to establish the estimate

$$\int |Tf|^p w \lesssim \int (Mf)^p w,$$

where T is a Calderón-Zygmund operator, thereby settling a conjecture of Muckenhoupt from 1980. The proof is based on a combination of sparse domination, Bellman function techniques, and random dyadic lattices.

This talk is based on joint work with A. Lerner and F. Nazarov.

Multilinear circle method and pointwise ergodic theorem

Renhui Wan (万仁辉)

Nanjing Normal University, China

This talk will introduce the multilinear circle method and its applications to the pointwise convergence of multilinear polynomial ergodic averages.

October 5, 2026 - Monday**Projection Theory and Makeya type problems****Chong-Wei Liang (梁崇璋)**

Taiwan University, China

Projection theory has a deep connections with other fields. For instance, it relates closely to additive combinatorics, which reveal underlying structural phenomena, as well as to large sieve methods in analytic number theory. In this talk, I will survey several methods that have been developed in projection theory over finite fields. I will then discuss recent progress on the Peres-Schlag projection problem.

Mapping properties of the $\mathcal{S}$ -operator**Doowon Koh**

Chungbuk National University, South Korea

We study the $\ell^p \rightarrow \ell^r$ estimates for the $\mathcal{S}$ -operator arising in restriction problems for spheres over finite fields. We establish a necessary and sufficient condition for the boundedness of the $\mathcal{S}$ -operator. Furthermore, we investigate this problem under certain restrictions on test functions. In particular, we address the sharp results when test functions are restricted to radial functions.

This is joint work with Hunseok Kang and Changhun Yang.

**Representation of variable-coefficient partial differential operators
as Fourier multipliers and applications****Arne Hendrickx (韩易伦)**

Ghent University, Belgium

We discuss the representation of certain partial differential operators with variable coefficients as Fourier multipliers on Euclidean domains when expressed in a particular system of global nonlinear coordinates. The motivation for this study stems from work by V. E. Petrov in which he considered integro-differential equations on the interval $(-1, 1)$ arising in mathematical physics, such as the Prandtl equation, the singular Tricomi equation, and the Lavrentjev-Bitsadze equation. We generalize this approach to arbitrary domains that are diffeomorphic to $\mathbb{R}^n$. We then discuss the existence of a fundamental solution for canonical partial differential operators with constant matrix coefficients. Finally, we give an outlook on ongoing work concerning microlocalization methods in this framework. This talk is based on joint work with D. Cardona, R. Duduchava, and M. Ruzhansky.

Egorov's theorem on hyperbolic surfaces

Zhenhao Li (李桢昊)

University of California, Berkeley, USA

Motivated by the analysis of scattering resonances on infinite-area hyperbolic surfaces, we establish a quantum-classical correspondence up to time $\log \frac{1}{h}$. The main tool is a global quantization procedure inspired by the Zelditch quantization and the anisotropic calculus of Dyatlov-Zahl. In particular, the Egorov's theorem allows us to propagate deep into the cusp regions where the injectivity radius degenerates. Such an Egorov's theorem allows us to rule out the escape of mass into the cusps of the manifold. This talk is based on joint work with Alex Cohen and Zhongkai Tao.

Polynomial bounds for eigenfunctions and eigenvalues on random covers of hyperbolic surfaces

Elena Kim

Harvard University, USA

Let X be a compact connected orientable hyperbolic surface and let X_n be a degree n random cover. We show that, with high probability, the L^∞ norm of every Laplace eigenfunction on X_n with bounded eigenvalue decays polynomially in n . Using similar methods, we also show that, with high probability, the distribution of eigenvalues of the Laplacian on X_n converges to the spectral measure of the hyperbolic plane with polynomially decaying error. Our proof relies on the Selberg pre-trace formula and a variant of the polynomial method.

This is joint work with Zhongkai Tao.

October 6, 2026 - Tuesday

L^p -Estimates for maximal averages along mixed homogeneous hypersurfaces in $\mathbb{R}^3$

Wenjuan Li (李文娟)

Northwestern Polytechnical University, China

In this paper, we study L^p -estimates for maximal averaging operators $\mathcal{M}$ along hypersurfaces S in $\mathbb{R}^3$ which are the graph of a mixed homogeneous function Φ which is analytic away from the origin. The closure of such a surface will pass through the origin, so that the usual transversality condition that had been imposed in many previous works on maximal averages along hypersurfaces will not hold even when Φ is analytic at the origin.

As our main result, under mild assumptions which are satisfied for instance for every mixed homogeneous polynomial Φ , we determine the critical Lebesgue exponent p_c for which $\mathcal{M}$ is L^p -bounded for every $p > p_c$, but unbounded for $p < p_c$, in terms of multiplicities of the real roots of the Hessian determinant of Φ .

It turns out that the study of the contributions by neighborhoods of a certain type of roots is closely related to recent work by Buschenhenke, Dendrinos, Ikromov, and Müller on sharp estimates for a maximal averaging operator along a transversal hypersurface of an "exceptional" class, whose L^p -boundedness had been an open problem for a long time and which has recently been established by means of their new theory of FIO-cone multipliers.

This is joint work with Dr. Stefan Buschenhenke, Prof. Detlef Müller, and Dr. Huiju Wang.

On a Pierce-Yung operator on the plane

David Beltran

Universitat de València, Spain

Pierce and Yung introduced in 2015 a family of operators that is a hybrid between polynomial Carleson operators and Radon transforms: maximally modulated singular integrals along paraboloids. They established their $L^p(\mathbb{R}^n)$ -boundedness for all $1 < p < \infty$ and $n \geq 3$, assuming that the modulations are neither linear nor multiplies of $|t|^2$. In this talk, we will discuss the challenges of the planar case and present positive results for a model case: maximal cubic modulations of the Hilbert transform along the parabola. Our approach is inspired by techniques used in proving L^p -bounds for certain geometric maximal functions; in particular, it relies on local smoothing estimates for a class of oscillatory integral operators recently established by Chen, Gan, Guo, Hickman, Iliopoulou and Wright.

This is joint work with Shaoming Guo and Jonathan Hickman.




Welcome to TSIMF



The facilities of TSIMF are built on a 23-acre land surrounded by pristine environment at Phoenix Hill of Phoenix Township. The total square footage of all the facilities is over 29,000 square meter that includes state-of-the-art conference facilities (over 10,000 square meter) to hold many international workshops simultaneously, two reading rooms of library, a guest house (over 10,000 square meter) and the associated catering facilities, a large swimming pool, gym and sports court and other recreational facilities.

Management Center of Tsinghua Sanya International Forum is responsible for the construction, operation, management and service of TSIMF. The mission of TSIMF is to become a base for scientific innovations, and for nurturing of innovative human resource; through the interaction between leading mathematicians and core research groups in pure mathematics, applied mathematics, statistics, theoretical physics, applied physics, theoretical biology and other relating disciplines, TSIMF will provide a platform for exploring new directions, developing new methods, nurturing mathematical talents, and working to raise the level of mathematical research in China.

About Facilities




Registration

Conference booklets, room keys and name badges for all participants will be distributed at the front desk. Please take good care of your name badge. It is also your meal card and entrance ticket for all events.

Park-Wide WiFi Information

SSID:TSIMF-WiFi

Password:tsimf123




Family rooms are also equipped with kitchen and refrigerator.

Guest Room

All the rooms are equipped with: free Wi-Fi, TV, air conditioning and other utilities.



Library



Opening Hours: 09:00-22:00

TSIMF library is available during the conference and can be accessed by using your room card. There is no need to sign out books but we ask that you kindly return any borrowed books to the book cart in library before your departure.




In order to give readers a better understanding of the contributions made by the Fields Medalists, the library of Tsinghua Sanya International Mathematics Forum (TSIMF) instituted the Special Collection of Fields Medalists as permanent collection of the library to serve the mathematical researchers and readers.

So far, there are 271 books from 49 authors in the Special Collection of Fields Medalists of TSIMF library. They are on display in room A220. The participants are welcome to visit.



Restaurant

All the meals are provided in the restaurant (Building B1) according to the time schedule.



Breakfast 07:30-08:30

Lunch 12:00-13:30

Dinner 17:30-19:00

Laundry

Opening Hours: 24 hours

The self-service laundry room is located in the Building(B1).



Gym

Opening Hours: 24 hours

The gym is located in the Building 1 (B1), opposite the reception hall. The gym provides various fitness equipment, as well as pool tables, tennis tables etc.



Playground

Playground is located on the east of the central gate. There you can play basketball, tennis and badminton. Meanwhile, you can borrow table tennis, basketball, tennis balls and badminton at the reception desk.

Swimming Pool

Please enter the pool during the open hours, swimming attire and swim caps are required, if you feel unwell while swimming, please stop swimming immediately and get out of the pool. The depth of the pool is 1.2m-1.8m.

Opening Hours: 13:00-14:00 18:00-21:00



Free Shuttle Bus Service at TSIMF

We provide free shuttle bus for participants and you are always welcome to take our shuttle bus, all you need to do is wave your hands to stop the bus.

Destinations: Conference Building, Reception Room, Restaurant, Swimming Pool, Hotel etc.



Contact Information of Administration Staff

Location of Conference Affairs Office: Room 104, Building A

Tel: 0086-898-38263896

Conference Affairs :

Sarah 陈媛姗

Tel/Wechat: 0086-130-2983-0780

Email: tsimf@tsinghua.edu.cn



Shouxi He 何守喜

Tel/Wechat: 0086-186-8980-2225

Email: heshouxi@tsinghua.edu.cn



Location of Accommodation Affairs Office: Room 200, Building B1

Tel: 0086-898-38882828

Accommodation Manager: Ms. Li YE 叶莉

Tel/Wechat: 0086-139-7679-8300

Email: yel@tsinghua.edu.cn



*Reception duty hours: 7:00-23:00, chamber service please call: 0086-38882828 (exterior line) 80000 (internal line)

*Room maintainer night duty hours: 23:00-7:00, if you need maintenance services, please call: 0086-38263909 (exterior line) 30162 (internal line)

IT

Yuanhang Zhou 周远航

Tel/Wechat: 0086-133-6898-0169

Email: 13368980169@163.com



Director Assistant of TSIMF

Kai CUI 崔凯

Tel/Wechat: 0086- 136-1120-7077

Email : cuik@tsinghua.edu.cn



Director of TSIMF

Junpeng Zhu 朱俊鹏

Tel: 0086-136-1113-2615

Email: zjp@tsinghua.edu.cn

清华大学三亚国际论坛管理中心 | 三亚清华数学论坛管理中心

Tsinghua Sanya International Mathematics Forum (TSIMF)



0086-898-38882828



0086-898-38263896



0086-898-38263895



tsimf@tsinghua.edu.cn



572000



<https://tsimf.tsinghua.edu.cn>



海南省三亚市天涯区清华路 100 号, 清华三亚国际数学论坛

No.100, Tsinghua Road, Tianya District, Sanya, Hainan, P. R. China.



Wechat



Service Quality
Satisfaction Survey