



丘成桐数学科学中心
YAU MATHEMATICAL SCIENCES CENTER



2025奇点理论与人工智能应用国际研讨会

2025 International symposium on Applications of Singularities and AI

SYMPOSIUM OVERVIEW & TOPICS

- **Focus:** Algebraic & Geometric Approaches to Singularity Theory, Computational Intelligence.
- **Topics include:** Singularities of Smooth Maps & Differential Forms, Lipschitz Stratifications, Symplectic Singularities, Local Invariants, Topology of Singularities, Hamiltonian Systems, Singularities in Algebraic Geometry.
- **Features:** Keynote Speeches, Thematic Sessions, Cross-disciplinary Exchange Platform.

TIME & VENUE


December 15-19, 2025 | Room A-110, TSIMF

ORGANIZED BY: Tsinghua University & BIMSA.

ORGANIZING COMMITTEE: Stephen S.-T.Yau, Stanislaw Janeczko, Huaqing Zuo, Zhiwen Liu.

Contents

About the conference.....	1
Schedule	4
December 15, 2025 - Monday.....	5
December 16, 2025 - Tuesday	6
December 17, 2025 - Wednesday.....	7
December 18, 2025 - Thursday	8
December 19, 2025 - Friday	9
Titles and Abstracts.....	10
Stanisław Janeczko	11
Siyong Tao.....	11
Yifan Chen.....	12
Zhenjian Wang.....	12
Miyuki Koiso	12
Uribe-Vargas Ricardo	13
Cheng Meng.....	13
Shuanghe Fan	13
Mingyi Zhang.....	14
Quan Shi	14
Ilya Bogaevskii.....	14
Hongrui Ma	15
Osamu Saeki	15
Xucheng Zhang	15
Liang Chen	15
Masato Tanabe	16
Chong Zheng.....	16
Jacek Rogala	17
Xiankui Meng.....	17
Xia Liao	18
Guorui Ma	18



Welcome to TSIMF	19
About Facilities.....	21
Registration.....	21
Guest Room	21
Library	22
Restaurant.....	22
Laundry	23
Gym	23
Swimming Pool.....	23
Free Shuttle Bus Service at TSIMF.....	23
Playground.....	23
Contact Information of Administration Staff	24



About the conference

2025 奇点理论与人工智能应用国际研讨会

International Symposium on Applications of Singularities and AI

Date

December 15-19, 2025

Venue

Room A-110, TSIMF

Organizers

Stephen S.-T. Yau(丘成栋), Tsinghua University

Stanislaw Janeczko, Warsaw University of Technology

Huaiqing Zuo(左怀青), Tsinghua University

Zhiwen Liu(刘志文), Beijing Institute of Mathematical Sciences and Applications

Abstract

This symposium, organized by Tsinghua University and the Beijing Institute of Mathematical Sciences and Applications (BIMSA), and co-organized by the Institute of Mathematics for Industry (IMI), Kyushu University, and the Faculty of Mathematics and Information Sciences, Warsaw University of Technology, aims to bring together experts from various domains of singularity theory, its applications, and computational intelligence to discuss cutting-edge research developments. The conference will focus on algebraic and geometric approaches to singularity theory, including but not limited to singularities of smooth maps and differential forms, Lipschitz stratifications, symplectic singularities, local invariants, topology of singularities, Hamiltonian systems and their generalizations, and singularities in algebraic geometry. Featuring keynote speeches and thematic sessions, the event establishes a cross-disciplinary exchange platform to foster deeper integration between mathematical theories and computational sciences.

Description of the aim

The aim of the symposium is to bring together specialists of various domains of singularity theory its applications and computational intelligence. The field of computational intelligence is breaking records in popularity. We are seeing its progress in both new fields of application and ever-improving algorithms. At the intersection of mathematics and computer science, an area of knowledge has emerged that can be said to affect (almost) everyone and is difficult to pass by indifferently. At the meetings of the Symposium, we expect, in this direction, to address issues such as data representation, new methods of computational complexity and many others. We expect invited talks represent various approaches, algebraic and analytic to singularity theory problems based mainly on geometry. The topics are related to algebraic and geometric aspects of singularity theory and its related areas such as Singularities of smooth maps and differential forms, Subanalytic and semialgebraic sets, Lipschitz stratifications, Real algebraic aspects of singularities, Lagrangian and Legendrian singularities, Asymptotic behaviour around caustics and wavefronts, symplectic

singularities, local invariants, Singular symplectic, contact and Poisson spaces, Local Algebras of singularities, resolution algebras, Hamiltonian systems and their generalizations, Differential geometry of singularities, Affine invariants of curves and surfaces. Free divisors, Torus actions, Topology of singularities, Singularities in positive characteristics and singularities in algebraic geometry.

We plan to use the conference to provide a good exchange platform on exciting new results on singularities and their applications and promote further the development of interactions of mathematical ideas and new branches of practical computational sciences. It is organized with the special collaboration with IMI – Institute of Mathematics for Industry, Kyushu University and Faculty of Mathematics and Information Sciences of Warsaw University of Technology.

Schedule

Time&Date	Monday (December 15)	Tuesday (December 16)	Wednesday (December 17)	Thursday (December 18)	Friday (December 19)
7:30-8:30	Breakfast				
8:25-8:30	Opening:Stephen S.-T. Yau				
Chair	Huaiqing Zuo	Stanisław Janeczko	Osamu Saeki	Miyuki Koiso	Uribe-Vargas Ricardo
8:30-9:20	Stanisław Janeczko	Uribe-Vargas Ricardo	Ilya Bogaevskii	Osamu Saeki	Jacek Rogala
9:20-09:50	Coffee Break (30 minutes)				
9:50-10:40	Siyong Tao	Cheng Meng	Hongrui Ma	Xucheng Zhang	Xiankui Meng
10:40-11:30	Yifan Chen	Shuanghe Fan	Group photo	Liang Chen	Xia Liao
12:00-14:00	Lunch (90 minutes)				
Chair	Mingyi Zhang	Xia Liao	Free Discussion 14:00-17:00	Pengcheng Li	Hu Chuangqiang
14:30-15:20	Zhenjian Wang	Mingyi Zhang		Masato Tanabe	Guorui Ma
15:20-15:50	Coffee Break (30 minutes)			Coffee Break (30 minutes)	
15:50-16:40	Miyuki Koiso	Quan Shi		Chong Zheng	
17:30	Dinner	Banquet 18:00-20:00	Dinner (90 minutes)		

December 15, 2025 - Monday

Time	Name	Title
7:30-8:30	Breakfast (60 minutes)	
8:25-8:30	Opening:Stephen S.-T. Yau	
Chair	Huaiqing Zuo	
8:30-9:20	Stanisław Janeczko	Residues of differential forms on singular varieties
9:20-09:50	Coffee Break (30 minutes)	
9:50-10:40	Siyong Tao	Bernstein-Sato roots and test module filtrations for Cartier pairs in positive characteristics
10:40-11:30	Yifan Chen	On the monodromy conjecture for determinantal varieties
12:00-14:00	Lunch (90 minutes)	
Chair	Mingyi Zhang	
14:30-15:20	Zhenjian Wang	Bounded Negativity Conjecture for Fermat surfaces
15:20-15:50	Coffee Break (30 minutes)	
15:50-16:40	Miyuki Koiso	Removability of isolated singularities of critical points of parametric elliptic functionals
17:30	Dinner (90 minutes)	

December 16, 2025 - Tuesday

Time	Name	Title
7:30-8:30	Breakfast (60 minutes)	
Chair	Stanisław Janeczko	
8:30-9:20	Uribe-Vargas Ricardo	Quadratic Maps: geometry of their critical value set and focal set, and their polar dual relation
9:20-09:50	Coffee Break (30 minutes)	
9:50-10:40	Cheng Meng	Singularities and Limits of F-invariants
10:40-11:30	Shuanghe Fan	Higher order Hessian matrix theory and its applications in Calabi-Yau manifolds
12:00-14:00	Lunch (90 minutes)	
Chair	Xia Liao	
14:30-15:20	Mingyi Zhang	Canonical blowups of Grassmannians and the Faltings-Lafforgue compactifications
15:20-15:50	Coffee Break (30 minutes)	
15:50-16:40	Quan Shi	Polar loci of multivariable archimedean zeta functions
18:00-20:00	Banquet	

December 17, 2025 - Wednesday

Time	Name	Title
7:30-8:30	Breakfast (60 minutes)	
Chair	Osamu Saeki	
8:30-9:20	Ilya Bogaevskii	Discontinuous gradient ODEs, trajectories in the minimal action problem, and massive points in one cosmological model
9:20-09:50	Coffee Break (30 minutes)	
9:50-10:40	Hongrui Ma	Tjurina Number Jumps and Unimodal Hypersurface Singularities in Positive Characteristic
10:40-11:30	Group photo	
12:00-14:00	Lunch (90 minutes)	
14:00-17:00	Free Discussion	
17:30	Dinner (90 minutes)	

December 18, 2025 - Thursday

Time	Name	Title
7:30-8:30	Breakfast (60 minutes)	
Chair	Miyuki Koiso	
8:30-9:20	Osamu Saeki	Global singularity theory and its application to data analysis
9:20-09:50	Coffee Break (30 minutes)	
9:50-10:40	Xucheng Zhang	Classifying open subsets with the same quotient
10:40-11:30	Liang Chen	Local differential geometry of lightcone framed submanifolds
12:00-14:00	Lunch (90 minutes)	
Chair	Pengcheng Li	
14:30-15:20	Masato Tanabe	Immersions associated with links of complex surface singularities and their topology
15:20-15:50	Coffee Break (30 minutes)	
15:50-16:40	Chong Zheng	Discrete Morse Theory as a Framework for Discretizing Classical Singularities
17:30	Dinner (90 minutes)	

December 19, 2025 - Friday

Time	Name	Title
7:30-8:30	Breakfast (60 minutes)	
Chair	Uribe-Vargas Ricardo	
8:30-9:20	Jacek Rogala	Brain, sex, temperature and memory performance
9:20-09:50	Coffee Break (30 minutes)	
9:50-10:40	Xiankui Meng	L2 estimates for line bundles equipped with singular Hermitian metrics
10:40-11:30	Xia Liao	log transversality, global Ginzburg's sharp construction and applications
12:00-14:00	Lunch (90 minutes)	
Chair	Hu Chuangqiang	
14:30-15:20	Guorui Ma	Algebraic Geometric Construction on Superintegrable Systems in a Homogeneous Space
15:20-15:50	Coffee Break (30 minutes)	
17:30	Dinner (90 minutes)	



Titles and Abstracts

Residues of differential forms on singular varieties

Stanisław Janeczko

Warsaw University of Technology, Poland

For a smooth manifold M and the space $\Lambda^p(M)$ of all differential p -forms on M the restriction $\omega|_N$ of $\omega \in \Lambda^p(M)$ to a smooth submanifold $N \subset M$ is determined by the geometry of N . If N is any subset of M then the forms $\alpha + d\beta$, $\alpha \in \Lambda^p(M)$, $\beta \in \Lambda^{p-1}(M)$, where α and β annihilates any p -tuple (and $p-1$ -tuple respectively) of vectors in $T_x M$, $x \in N$, are called algebraically vanishing on N or having zero algebraic restriction to N . An algebraic restriction of $\omega \in \Lambda^p(M)$ to N is defined as an equivalence class of ω modulo forms with zero algebraic restriction to N . We study germs of differential forms over singular varieties. The geometric restriction of differential forms to singular varieties is introduced and algebraic restrictions of differential forms with vanishing geometric restrictions, called residual forms, are investigated. Residues of plane curves-germs, hypersurfaces, Lagrangian varieties as well as the geometric and algebraic restriction via a mapping were examined.

Bernstein-Sato roots and test module filtrations for Cartier pairs in positive characteristics

Siyong Tao(陶斯咏)

Department of Mathematical Sciences, Tsinghua University, China

The Bernstein-Sato polynomial is an important invariant of an ideal J in a polynomial ring $\mathcal{C}[x_1, \dots, x_n]$, which measures the singularities of $\mathbf{V}(J)$, the zero-locus of J , in very subtle ways. The roots of this polynomial are closely related to the jumping numbers of the multiplier ideals of the pair $(\mathcal{C}^n, \mathbf{V}(J))$.

Work of M. Mustata's, later extended by T. Bitoun and E. Quinlan-Gallego, provides an analogous Bernstein-Sato theory for an ideal I in a regular F -finite ring R of positive characteristic. M. Blickle and A. Stäbler generalized M. Mustata's constructions and defined a family of Bernstein-Sato polynomials for a F -regular Cartier module associated with a principal ideal.

Now let $I = \langle f_1, \dots, f_r \rangle$ be an ideal of a regular F -finite ring R of characteristic $p > 0$, and let (M, \mathcal{C}) be an R -Cartier pair. Based on the graph embedding along I and the multi-eigen-decomposition, we define the Bernstein-Sato roots for the triple (M, \mathcal{C}, I) under some certain conditions. I will show that these roots have similar properties as in the case I is principal or $M = R$. They are non-positive, rational, and closely related to the F -jumping numbers of the non-increasing right-continuous filtration, the test module filtration $\{\tau(M, \mathcal{C}^{I(t)})\}_{t \geq 0}$, which is an analogue of V -filtration in the complex case.

On the monodromy conjecture for determinantal varieties

Yifan Chen(陈亦凡)

Department of Mathematical Sciences, Tsinghua University, China

This paper presents a proof of the monodromy conjecture for determinantal varieties. Our strategy centers on an in-depth analysis of monodromy zeta functions, leveraging a generalized A'Campo formula, an examination of multiple contact loci, and the exploitation of the intrinsic symmetric structures inherent to these varieties. Furthermore, we prove the holomorphy conjecture for determinantal varieties and the monodromy conjecture for Brill-Noether loci of generic curves.

Bounded Negativity Conjecture for Fermat surfaces

Zhenjian Wang(王振建)

University of Science and Technology of China, China

The Bounded Negativity Conjecture predicts that the self-intersection numbers of reduced and irreducible curves on a given smooth projective surface are bounded from below by a constant that depends only on the surface. This long-standing conjecture has remained open for a century. In this talk, I will investigate the conjecture for Fermat surfaces by giving an explicit formula for all negative curves, expressed in terms of the degree of the surface and local numerical invariants for curve singularities. The result is expected to provide new insights in the study of the Bounded Negativity Conjecture.

Removability of isolated singularities of critical points of parametric elliptic functionals

Miyuki Koiso

Kyushu University, Japan

It is well-known that for holomorphic functions (therefore, also for harmonic functions), there are three types of isolated singularities: removable singularities, poles, and essential singularities. Although minimal surfaces are locally solutions of a second order elliptic partial differential equation like harmonic functions, isolated singularities of minimal surfaces are all removable (Bers 1951). Bildhauer-Fuchs (2022) generalized Bers' result to critical points of axially-symmetric parametric elliptic functionals: a natural generalization of surface area. In this talk, we discuss removability of isolated singularities of critical points of more general parametric elliptic (and non-elliptic) functionals.

Quadratic Maps: geometry of their critical value set and focal set, and their polar dual relation

Uribe-Vargas Ricardo

Institut de Mathématiques de Bourgogne, France

We take a quadratic map $Q : R^k \dashrightarrow R^n$ and consider its restriction f to the unit sphere in R^k . We prove that the projective dual variety of the critical value set of f is an algebraic hypersurface of degree k , noted $F(f)$, which is hyperbolic: every line through the origin of R^n intersects $F(f)$ at k real points (counting multiplicities). This projective duality and the hyperbolicity of $F(f)$ provide topologic and geometric properties of the critical value set of f and of its focal set. This has direct applications to local differential geometry of k -dimensional submanifolds in Euclidean space R^N ($N = K + n$).

Singularities and Limits of F-invariants

Cheng Meng(孟成)

Tsinghua University, China

For Noetherian local rings of positive characteristic, the Hilbert-Kunz multiplicity and F -signature are fundamental invariants measuring different types of singularities. These singularities are related to singularities in characteristic 0 via reduction mod p . However, many properties of both invariants remain unknown.

In this talk, we prove an inequality conjectured by Watanabe and Yoshida, which states that for every odd prime p , the Hilbert-Kunz multiplicity of the Fermat hypersurface of degree 2 in characteristic p is greater than or equal to its limit when p goes to infinity. This conjecture describes the possible lower bound of Hilbert-Kunz multiplicities of singular rings in fixed characteristic and dimension. The proof of this conjecture uses representation theory of certain $k[T]$ -modules and mathematical analysis.

Higher order Hessian matrix theory and its applications in Calabi-Yau manifolds

Shuanghe Fan(樊双赫)

Tsinghua University, China

One of the fundamental problems in algebraic geometry and singularity theory is to investigate whether two given smooth projective manifolds X and Y are projective equivalent. In hypersurface case, when their defining equations have degree 2, this can be resolved using quadratic form theory and classical Hessian matrix theory. For cases with degrees greater than 2, in this talk, we shall develop the novel “higher order Hessian matrix theory” as a generalization of classical Hessian matrix theory. Many new invariants for projective manifolds (especially Calabi-Yau manifolds) are obtained beyond the classical theory. With this sequence of invariants, we solve a several decades old problem about the classification of complex structures of K_3 surfaces in \mathbb{CP}^3 .

Canonical blowups of Grassmannians and the Faltings-Lafforgue compactifications

Mingyi Zhang(张鸣一)

Shanghai Institute for Mathematics and Interdisciplinary Sciences, China

We give a linear algebraic construction of the Lafforgue spaces associated to the Grassmannians $\text{Gr}(2,n)$ by blowing up certain explicitly defined monomial ideals, which sharpens and generalizes a result of Faltings. In this talk, I will briefly recall results of Faltings and Lafforgue's work respectively, and show how we extend their construction to the case for arbitrary diagonal subtorus actions beyond the equidimensional ones. This is a joint work with Hanlong Fang. See <https://arxiv.org/abs/2310.17367>.

Polar loci of multivariable archimedean zeta functions

Quan Shi(石泉)

Tsinghua University, China

The study of archimedean zeta functions started from a problem proposed by Gel'fand at ICM 1954, about the meromorphy of the distribution f^s . In 1980s, Barlet related the poles of archimedean zeta functions with monodromy eigenvalues, endowing these poles with a geometrical explanation. In this talk, I will present a generalization of Barlet's result to multivariable cases. As an application, a full characterization of the oblique slopes of generalized Bernstein-Sato ideals will be given. This is a joint work with Nero Budur and Huaqing Zuo.

Discontinuous gradient ODEs, trajectories in the minimal action problem, and massive points in one cosmological model

Ilya Bogaevskii

Guangdong Technion -- Israel Institute of Technology (GTIIT), China

The gradient of a concave function is discontinuous vector field but has well-defined trajectories. We formulate an existence and semi-uniqueness theorem and its generalisation for non-stationary case. Using the latter we construct trajectories in the minimal action problem and investigate how massive points appear. Their formation simulates the large-scale matter distribution in one of the simplest cosmological models based on the Burgers equation.

Tjurina Number Jumps and Unimodal Hypersurface Singularities in Positive Characteristic

Hongrui Ma(马泓锐)
Tsinghua University, China

In 2016, Greuel and Nguyen extended the concept of modality of hypersurface singularities to arbitrary algebraically closed fields and classified hypersurface singularities of modality 0 in positive characteristic under right equivalence. We generalize their method to obtain sharper bounds on modality and complete the classification of unimodal hypersurface singularities under contact equivalence. We find that each sudden jump in the Tjurina number necessarily increases the modality.

Global singularity theory and its application to data analysis

Osamu Saeki
Kyushu University, Japan

In this talk, we first consider smooth generic maps $f : M \rightarrow N$ between smooth manifolds M and N with $\dim M \geq \dim N \geq 1$ and explore various topological properties of their singular fibers. A singular fiber is, roughly speaking, the inverse image $f^{-1}(y)$ for a singular value $y \in N$ of f . We explain how the singular fibers are classified under various settings. Such classification results lead to various interesting consequences, such as classification of local topological structures of Reeb spaces, or cobordism invariants for maps. We also have some applications to data visualizations, especially for developing new technologies for visualizing large scale data. If time permits, we will mention the possibility to use them to design topological loss functions.

Classifying open subsets with the same quotient

Xucheng Zhang(张旭成)
Beijing University of Aeronautics and Astronautics, China

For a smooth Gm-variety X that admits a good quotient, we classify all open subsets with the same good quotient as X , whose existence depends on the Białyński-Birula decomposition of X . This talk is based on a joint work in progress with Jianping Wang (BIMSA).

Local differential geometry of lightcone framed submanifolds

Liang Chen(陈亮)
Northeast Normal University

We construct a foundational research framework for the local differential geometry of lightcone-

framed submanifolds in Lorentzian 3-manifolds, which include both curves and surfaces.

Immersion associated with links of complex surface singularities and their topology

Masato Tanabe

Department of Mathematics, Faculty of Science, Hokkaido University, Japan

In this talk, we study links of isolated surface singularities in \mathbb{C}^3 from the viewpoint of immersions through two problems. First, for each singularity, we determine the regular homotopy class of the inclusion map of its link into the 5-sphere. Second, for each type of Arnol'd's simple singularities, we show that the inclusion map of its link is regularly homotopic to the immersion associated with the corresponding Dynkin diagram which was constructed by Kinjo. We prove these by computing the complete invariants of the immersions given by Wu and Saeki--Szűcs--Takase. As an application, we also determine the Smale invariants of Kinjo's immersions.

Discrete Morse Theory as a Framework for Discretizing Classical Singularities

Chong Zheng(郑翀)

Waseda University, Japan

In this talk, we introduce our recent developments in discretizing key ideas from classical singularity theory using discrete Morse theory, introduced by Robin Forman in the 1990s. By establishing a connectedness theory for discrete gradient vector fields that closely mirrors the smooth case, we can describe the birth and death of critical points and thereby construct a discrete counterpart of Cerf theory. These constructions demonstrate that discrete Morse theory is not merely a tool for simplifying complexes, but a setting in which singular behavior itself can be represented and analyzed.

Building on these previous results, and in collaboration with Prof. Toru Ohmoto, we will sketch a broader vision. We aim to apply discrete Morse structure as a foundation for interpreting invariants arising from smooth or stratified geometry, including characteristic classes and intersection homology. This perspective suggests a path toward extending ideas from singularity theory into non-smooth contexts. The goal is to propose a coherent framework in which classical singularity theory and combinatorial topology mutually enrich one another. This opens new theoretical directions as well as potential interactions with computational fields such as topological data analysis and machine learning.

Brain, sex, temperature and memory performance

Jacek Rogala

University of Warsaw, Poland

Understanding gender differences in thinking and memory can reveal important details about how the human brain works. In our study, we used advanced tools — magnetic resonance thermometry, functional MRI (fMRI), and standard working memory tests (n-back tasks) — to see whether differences in brain temperature between men and women relate to how their brains function during memory tasks.

We found that men's average brain temperature dropped during memory activity, while women's brain temperature remained more stable. Although temperature changes were smaller in women, we discovered an inverse relationship between how much their brain temperature changed and how well they performed. These changes were also linked to differences in BOLD (blood oxygen level-dependent) signals, which indicate neural activity.

In women, this connection between temperature, performance, and brain activity was strong, but it was not observed in men. Additionally, women showed extra brain activation patterns while achieving the same performance levels as men.

This suggests that women may compensate for greater temperature sensitivity by engaging additional brain regions to maintain strong working memory performance.

Overall, our findings highlight that gender differences in brain function are complex and that temperature changes play a meaningful role in shaping how the brain supports cognitive tasks. This opens new directions for understanding how thermal regulation affects thinking and mental performance.

L2 estimates for line bundles equipped with singular Hermitian metrics

Xiankui Meng(孟宪奎)

Beijing University of Posts and Telecommunications, China

The L2 estimates concerning solutions of the $\bar{\partial}$ equations which are important tools in finding holomorphic functions that satisfies various prescribed conditions. In many cases, the prescribed condition can be characterized by the singularities of singular Hermitian metrics(whose weight are plurisubharmonic functions). Multiplier ideal sheaves have become an indispensable tool for analyzing the singularities of singular metrics and are also essential for algebraic geometric applications. In this talk, I will give some vanishing results for cohomology groups in terms of Multiplier ideal sheaves.

log transversality, global Ginzburg's sharp construction and applications

Xia Liao(廖侠)

Huaqiao University, China

We discuss log characteristic cycles of constructible functions along a Saito free divisor D and global Ginzburg's sharp construction. When characteristic cycles are log transverse to D , certain global index formulas hold. we discuss two applications of log transversality and global index formulas. 1. a characterization of strong Euler homogeneity of projective hypersurfaces using syzygies of Jacobian ideals. 2. local and global index formulas for GSV indices of 1-dimensional holomorphic foliations. This talk is based on my joint work with Xiping Zhang.

Algebraic Geometric Construction on Superintegrable Systems in a Homogeneous Space

Guorui Ma

Tsinghua University, China

In this work, we have presented an approach for constructing (super)integrable geodesic flows on a class of symmetric symplectic manifolds using algebraic and geometric methods. In particular, using invariant polynomial functions in Lie algebras and their Poisson-commutative properties, we obtained explicit first integrals for magnetic geodesic flows in $T^*(G/A)$, where G/A is an adjoint orbit. An important observation from our work is the algebro-geometric construction of the integrals of motion, which provides a unifying perspective on various classical approaches (such as the argument shift method and the Gelfand-Cetlin-type constructions) within a single coherent framework in the language of Poisson projection chains. We also want to build a similar framework on an orbifold or a stratifold (for example when the action is not free) which will be extremely singular. This is a joint work with Kai Jiang, Ian Marquette, Junze Zhang and Yao-Zhong Zhang.




Welcome to TSIMF



The facilities of TSIMF are built on a 23-acre land surrounded by pristine environment at Phoenix Hill of Phoenix Township. The total square footage of all the facilities is over 29,000 square meter that includes state-of-the-art conference facilities (over 10,000 square meter) to hold many international workshops simultaneously, two reading rooms of library, a guest house (over 10,000 square meter) and the associated catering facilities, a large swimming pool, gym and sports court and other recreational facilities.

Management Center of Tsinghua Sanya International Forum is responsible for the construction, operation, management and service of TSIMF. The mission of TSIMF is to become a base for scientific innovations, and for nurturing of innovative human resource; through the interaction between leading mathematicians and core research groups in pure mathematics, applied mathematics, statistics, theoretical physics, applied physics, theoretical biology and other relating disciplines, TSIMF will provide a platform for exploring new directions, developing new methods, nurturing mathematical talents, and working to raise the level of mathematical research in China.

About Facilities



Registration

Conference booklets, room keys and name badges for all participants will be distributed at the front desk. Please take good care of your name badge. It is also your meal card and entrance ticket for all events.




Guest Room

All the rooms are equipped with: free Wi-Fi (Password:tsimf123), TV, air conditioning and other utilities.

Family rooms are also equipped with kitchen and refrigerator.



Library



Opening Hours: 09:00am-22:00pm

TSIMF library is available during the conference and can be accessed by using your room card. There is no need to sign out books but we ask that you kindly return any borrowed books to the book cart in library before your departure.




In order to give readers a better understanding of the contributions made by the Fields Medalists, the library of Tsinghua Sanya International Mathematics Forum (TSIMF) instituted the Special Collection of Fields Medalists as permanent collection of the library to serve the mathematical researchers and readers.

So far, there are 271 books from 49 authors in the Special Collection of Fields Medalists of TSIMF library. They are on display in room A220. The participants are welcome to visit.



Restaurant

All the meals are provided in the restaurant (Building B1) according to the time schedule.



Breakfast 07:30-08:30

Lunch 12:00-13:30

Dinner 17:30-19:00

Laundry

Opening Hours: 24 hours

The self-service laundry room is located in the Building(B1).



Gym

Opening Hours: 24 hours

The gym is located in the Building 1 (B1), opposite to the reception hall. The gym provides various fitness equipment, as well as pool tables, tennis tables etc.



Playground

Playground is located on the east of the central gate. There you can play basketball, tennis and badminton. Meanwhile, you can borrow table tennis, basketball, tennis balls and badminton at the reception desk.

Swimming Pool

Please enter the pool during the open hours, swimming attire and swim caps are required, if you feel unwell while swimming, please stop swimming immediately and get out of the pool. The depth of the pool is 1.2M-1.8M.

Opening Hours: 13:00-14:00 18:00-21:00



Free Shuttle Bus Service at TSIMF

We provide free shuttle bus for participants and you are always welcome to take our shuttle bus, all you need to do is wave your hands to stop the bus.

Destinations: Conference Building, Reception Room, Restaurant, Swimming Pool, Hotel etc.



Contact Information of Administration Staff

Location of Conference Affairs Office: Room 104, Building A

Tel: 0086-898-38263896

Conference Affairs :

Sarah 陈媛姗

Tel/Wechat:0086-130-2983-0780

Email: tsimf@tsinghua.edu.cn

Shouxi He 何守喜

Tel/Wechat:0086-186-8980-2225

Email: heshouxi@tsinghua.edu.cn

Location of Accommodation Affairs Office: Room 200, Building B1

Tel: 0086-898-38882828

Accommodation Manager: Ms. Li YE 叶莉

Tel/Wechat: 0086-139-7679-8300

Email: yel@tsinghua.edu.cn

*Reception duty hours: 7:00-23:00, chamber service please call: 0086-38882828 (exterior line) 80000 (internal line)

*Room maintainer night duty hours: 23:00-7:00, if you need maintenance services, please call: 0086-38263909 (exterior line) 30162 (internal line)

IT

Yuanhang Zhou 周远航

Tel/Wechat: 0086-133-6898-0169

Email: 13368980169@163.com

Director Assistant of TSIMF

Kai CUI 崔凯

Tel/Wechat: 0086- 136-1120-7077

Email :cuik@tsinghua.edu.cn

Director of TSIMF

Junpeng Zhu 朱俊鹏

Tel: 0086-136-1113-2615

Email: zjp@tsinghua.edu.cn

清华大学三亚国际论坛管理中心 | 三亚清华数学论坛管理中心

Tsinghua Sanya International Mathematics Forum (TSIMF)



0086-898-38882828



0086-898-38883896



0086-898-38883895



tsimf@tsinghua.edu.cn



572000



<https://www.tsimf.cn>



海南省三亚市天涯区清华路 100 号, 清华三亚国际数学论坛

No.100, Tsinghua Road, Tianya District, Sanya, Hainan, P. R. China.

